Author Index of Volume 31

Ackermann, R., 151
Andreev, P. P., 79, 369

Bagshaw, N. E., 23
Baldsing, W. G. A., 329
Bashtavelova, E., 243
Basumallick, I. N., 89
Baudino, M., 287
Böhle, C., 145
Bojinov, M., 79
Brandt, D. D., 363
Bullock, K. R., 43

Carr, D. S., 297, 311
Černý, J., 183
Christian, K.-H., 151
Clerici, G., 157
Compagnone, N. F., 271
Crouch, D. A., Jr., 125

Dietz, H., 107
Dimitrov, M. K., 121
Dix, J. E., 351
Döring, H., 107

Fetzer, W. E., 255

Garche, J., 107, 401
Gillian, W. F., 177
Ginatta, M. V., 287

Hamilton, J. A., 329
Hill, R. J., 203
Hollenkamp, A. F., 329

Ikkala, O., 321

Jindra, J., 139

Kapkov, N., 189
Kepros, M. A., 93
Kiessling, R., 145
Koudelka, V., 183
Kozawa, A., 379
Krysiak, H., 263
Kwaśnik, J., 135, 263

Lindqvist, H., 359
Lyakov, N., 281

Magyar, J. A., 93
Mahato, B., 43
Maja, M., 115, 287
McDonagh, M., 203
Mrha, J., 139
Musilová, M., 139

Naidenov, V., 69
Nelson, R. F., 3, 93
Nieminen, A., 321
Nikolov, I., 69, 79
Nowacki, A., 339

Papazov, G., 69, 79
Paszkiewicz, M., 135

Pavlov, D., 69, 79, 189, 217, 243
Penazzi, N., 115, 157, 287
Pukacka, T., 135

Rand, D. A. J., 203, 329
Raychaudhuri, A., 383
Reichman, B., 43
Reitz, J. W., 125
Rodriguez, G. D., 311
Ruevski, S., 217

Sarkar, S., 89
Schwetz, A., 355
Shuzhen Zhao, 163, 169
Spindler, W. C., 311
Steffens, F., 233
Strebe, J., 43
Szcześniak, B., 135, 339

Tabat, S., 339
Tonchev, D. P., 369
Tuphorn, H., 57
Türkeri, M. N., 395

Vilhunen, J. K., 225
Vitanov, T., 69, 79
Voss, S., 107

Warrell, S., 35
Weiqing Gu, 169
Wiesener, K., 107

Yuanduo Lu, 163, 169

Zhiyun Jiang, 163, 169
Zhonghua Zhang, 163, 169

Subject Index of Volume 31

Alloy(s)
  Pb, into 1990s, 177
  Pb–Ca, for maintenance-free lead/acid batteries, new, 163
  Pb–Sb, for lead/acid batteries, effect of some elements on performance of, 169
  Sb, influence of Co ions on behaviour of maintenance-free lead/acid batteries with, 151
Antimony
  effect of some elements on performance of Pb–Sb alloys for lead/acid batteries, 169
  influence of Co ions on behaviour of maintenance-free lead/acid batteries with Sb alloys, 151
Arctic photovoltaic systems
  lead/acid batteries in, 321
Automation
  and rationalization of plate-stacking process for automotive, traction, and stationary lead/acid batteries, 355

Barton-pot equipment
  improvements to, for manufacturing leady oxide, 351
Battery(ies)
  gas-recombination; from basics to batteries in service, 35
  lead/acid
    accelerated curing of negative plates for, 217
    in Arctic photovoltaic systems, 321
    automation and rationalization of plate-stacking process for automotive, traction, and stationary, 355
    effect of some elements on performance of Pb–Sb alloys for, 169
    energy storage system, operating world's largest, 311
    evolution of gas-recombination, 3
    factors influencing the performance of gas-recombination, 135
    high-performance, maintenance-free, 145
    historical development of, especially in Europe, 401
    improved gelled-electrolyte for deep-discharge applications, 43
    improvements in manufacturing of, with tubular positive plates, 263
    improving curing of positive plates for, 203
    influence of Co ions on behaviour of maintenance-free, with Sb alloys, 151
    influence of separators, expanders and electrolyte purity on performance of maintenance-free, 183
    manufacturing systems for tubular positive plates for stationary and traction, advances in, 255
    measures for minimizing hydrogen pressure in sealed, 107
    microprocessor-controlled, production-line, high-rate testing of, with data collection and statistical-process-control evaluation of results, 363
    new Pb–Ca alloy for maintenance-free, 163
    oxidation of $4PbO \cdot PbSO_4$ crystals in cured paste to PbO_2 agglomerates during formation of positive plates for, 243
    poly(aniline)-coated electrodes for gas recombination in, 89
    recent new designs and new technologies of, in Japan, 379
    recombination, principles and applications, 23
    recycling of; Ginatta process, 287
    sealed, with auxiliary W carbide electrodes, 79
    sealed; theory and applications, 57
    for stand-alone power-supply systems, advanced, 329
    storage, in Turkey, 395
    in U.S.A. load levelling applications, 297
    W carbide electrodes for gas recombination in, 69

Elsevier Sequoia/Printed in Switzerland

structure and properties of electrochemically active thin PbO_2 films for reserve, 339
Battery factories
totally automatic element manufacturing process for lead/acid, 359
Battery performance
relating recombination mat separator properties to sealed lead/acid, 125
Battery plates
continuous production of automotive lead/acid from Pb–Ca–Sn strip, 157
theoretical and practical considerations on formation of lead/acid, 233
Battery positive plates
lead/acid, manufactured from $4PbO \cdot PbSO_4$ pastes prepared from leady oxide and red lead, 189
Battery scrap
technology for treating lead/acid, for secondary usage, 281
Battery test facility
multifunction, 369

Calcium
continuous production of automotive lead/acid battery plates from Pb–Ca–Sn strip, 157
new Pb–Ca alloy for maintenance-free lead/acid batteries, 163
Charge–discharge processes
reference-electrode and gassing studies of lead/acid, 93
Cell(s)
lead/acid
influence of electrolyte temperature and positive-plate thickness on performance of, 271
preliminary results from improved theoretical approach towards characterizing sealed, 115
oxygen cycle in sealed rechargeable, 139
Cobalt ions
influence of, on behaviour of maintenance-free lead/acid batteries with Sb alloys, 151
Curing
of negative plates for lead/acid batteries, accelerated, 217
of positive plates for lead/acid batteries, improving, 203

Deep-discharge applications
improved gelled-electrolyte lead/acid batteries for, 43

Electrode(s)
poly(aniline)-coated, for gas recombination in lead/acid batteries, 89
W carbide
for gas recombination in lead/acid batteries, 69
sealed lead/acid battery with auxiliary, 79
Electrolyte purity
influence of separators, expanders and, on performance of maintenance-free lead/acid batteries, 183
Electrolyte temperature
influence of, and positive-plate thickness on performance of lead/acid cells, 271
Energy storage system
operating world's largest lead/acid battery, 311
Europe
historical development of lead/acid battery, especially in, 401
Expanders
influence of separators, and electrolyte purity on performance of maintenance-free lead/acid batteries, 183

Gas recombination
poly(aniline)-coated electrodes for, in lead/acid batteries, 89
W carbide electrodes for, in lead/acid batteries, 69
Gas-recombination batteries
from basics to batteries in service, 35
Gas-recombination lead/acid batteries
factors influencing the performance of, 135
Gas-recombination lead/acid cells and batteries
evolution of, 3
Gassing studies
reference-electrode and, of lead/acid charge–discharge processes, 93
Gelled electrolyte
lead/acid batteries, improved for deep-discharge applications, 43
Ginatta process
recycling of lead/acid batteries, 287

Hydrogen pressure
in sealed lead/acid batteries, measures for minimizing, 107

Indian scene
marketing forecast, 383

Japan
recent new designs and new technologies of lead/acid batteries in, 379

Lead
continuous production of automotive lead/acid battery plates from Pb–Ca–Sn strip, 157
lead/acid battery positive plates manufactured from $4PbO \cdot PbSO_4$ pastes prepared from leady oxide and red lead, 189
oxidation of $4PbO \cdot PbSO_4$ crystals in cured paste to PbO_2 agglomerates during formation of positive plates for lead/acid batteries, 243
Lead/acid battery(ies)
accelerated curing of negative plates for, 217
in Arctic photovoltaic systems, 321
automation and rationalization of plate-stacking process for automotive, traction, and stationary, 355
effect of some elements on performance of Pb–Sb alloys for, 169
energy storage system, operating world's largest, 311
evolution of gas-recombination, and cells, 3
factors influencing the performance of gas-recombination, 135
high-performance, maintenance-free, 145
historical development of, especially in Europe, 401
improved gelled-electrolyte, for deep-discharge applications, 43
improvements in manufacturing of, with tubular positive plates, 263
improving curing of positive plates for, 203
influence of Co ions on behaviour of maintenance-free, with Sb alloys, 151
influence of separators, expanders and electrolyte purity on performance of maintenance-free, 183
manufacturing systems for tubular positive plates for stationary and traction, advances in, 255
measures for minimizing hydrogen pressure in sealed, 107
microprocessor-controlled, production-line, high-rate testing of, with data collection and statistical-process-control evaluation of results, 363
new Pb–Ca alloy for maintenance-free, 163
oxidation of $4PbO \cdot PbSO_4$ crystals in cured paste to PbO_2 agglomerates during formation of positive plates for, 243
poly(aniline)-coated electrodes for gas recombination in, 89
recent new designs and new technologies of, in Japan, 379
recycling of; Ginatta process, 287
sealed, with auxiliary W carbide electrodes, 79
sealed; theory and applications, 57
for stand-alone power-supply systems, advanced, 329
in U.S.A. load levelling applications, 297
W carbide electrodes for gas recombination in, 69
Lead/acid battery factories
totally automatic element manufacturing process for, 359
Lead/acid battery performance
relating recombination mat separator properties to sealed, 125
Lead/acid battery plates
continuous production of automotive, from Pb–Ca–Sn strip, 157
theoretical and practical considerations on formation of, 233
Lead/acid battery positive plates
manufactured from $4PbO \cdot PbSO_4$ pastes prepared from leady oxide and red lead, 189
Lead/acid battery scrap
technology for treating, for secondary usage, 281
Lead/acid cells
evolution of gas-recombination, and batteries, 3
influence of electrolyte temperature and positive-plate thickness on performance of, 271

preliminary results from improved theoretical approach towards characterizing sealed, 115
Lead/acid charge–discharge processes
reference-electrode and gassing studies of, 93
Lead/acid recombination batteries
principles and applications, 23
Lead/acid storage battery
in Turkey, 395
Lead alloys
into 1990s, 177
Lead–antimony alloys
effect of some elements on performance of, for lead/acid batteries, 169
Lead–calcium alloy
for maintenance-free lead/acid batteries, new, 163
Lead dioxide
oxygen evolution on, in sulphuric acid solutions, 121
Lead dioxide films
structure and properties of electrochemically active thin, for reserve batteries, 339
Lead sulphates
X-ray diffraction studies of basic, 225
Leady oxide
improvements to Barton-pot equipment for manufacturing, 351
Load levelling applications
lead/acid batteries in U.S.A., 297

Manufacturing
improvements in, of lead/acid batteries with tubular positive plates, 263
Manufacturing process
totally automatic element, for lead/acid battery factories, 359
Manufacturing systems
for tubular positive plates for stationary and traction lead/acid batteries, advances in, 255
Marketing forecast
Indian scene, 383

Negative plates
accelerated curing of, for lead/acid batteries, 217

Oxidation
of $4PbO \cdot PbSO_4$ crystals in cured paste to PbO_2 agglomerates during formation of positive plates for lead/acid batteries, 243
Oxygen cycle
in sealed rechargeable cells, 139
Oxygen evolution
on Pb dioxide in sulphuric acid solutions, 121

Photovoltaic systems
lead/acid batteries in Arctic, 321
Plate-stacking process
automation and rationalization of, for automotive, traction, and stationary lead/acid batteries, 355
Poly(aniline)-coated electrodes
for gas recombination in lead/acid batteries, 89
Positive plates
improving curing of, for lead/acid batteries, 203
manufacturing systems for tubular, for stationary and traction lead/acid batteries, advances in, 255
oxidation of $4PbO \cdot PbSO_4$ crystals in cured paste to PbO_2 agglomerates during formation of, for lead/acid batteries, 243
Positive-plate thickness
influence of electrolyte temperature and, on performance of lead/acid cells, 271
Power-supply systems
advanced lead/acid batteries for stand-alone, 329

Rechargeable cells
oxygen cycle in sealed, 139
Recombination mat separator properties
relating, to sealed lead/acid battery performance, 125
Recycling
of lead/acid batteries; Ginatta process, 287
Reference-electrode studies
and gassing studies of lead/acid charge–discharge processes, 93
Reserve batteries
structure and properties of electrochemically active thin PbO_2 films for, 339

Separators
influence of, expanders and electrolyte purity on performance of maintenance-free lead/acid batteries, 183
Sulphuric acid
oxygen evolution on Pb dioxide in, solutions, 121

Test facility
multifunction battery, 369
Testing
of lead/acid batteries, microprocessor-controlled, production-line, high-rate, with data collection and statistical-process-control evaluation of results, 363
Theoretical approach
towards characterizing sealed lead/acid cells, preliminary results from improved, 115
Theoretical and practical considerations
on formation of lead/acid battery plates, 233
Tin
continuous production of automotive lead/acid battery plates from Pb–Ca–Sn strip, 157
Tungsten carbide electrodes
for gas recombination in lead/acid batteries, 69
sealed lead/acid battery with auxiliary, 79
Turkey
lead/acid storage battery in, 395

X-ray diffraction studies
of basic lead sulphates, 225